

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/671,425	09/25/2003	William E. Luce	BFGRP0318USA	5819
	7590 08/30/2007 SON (GOODRICH)	EXAMINER		
RENNER, OT	ro, boisselle & sk	TORRES, MELANIE		
1621 EUCLID AVENUE 19TH FLOOR CLEVELAND, OH 44115			ART UNIT	PAPER NUMBER
			3683	
			MAIL DATE	DELIVERY MODE
			08/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/671,425	LUCE, WILLIAM E.			
Office Action Summary	Examiner	Art Unit			
	Melanie Torres	3683			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tim I will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	I. tely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 161	Responsive to communication(s) filed on 16 May 2007.				
2a) This action is FINAL . 2b) ☐ Thi	This action is FINAL . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ⊠ Claim(s) 2-22 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 2-22 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.				
Application Papers					
9) The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
·					
Attachment(s)					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:				

DETAILED ACTION

1. In view of the Appeal Brief filed on October 10, 2006, PROSECUTION IS HEREBY REOPENED. New grounds of rejection are set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

- (1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,
- (2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:

Robert Siconolfi

FOBERT A. SICONOLFI
SUPERVISORY PATENT EXAMINER

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Application/Control Number: 10/671,425 Page 3

Art Unit: 3683

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 2-6, and 8-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hrusch in view of Labrecque and further in view of Denis et al.

Re claims 2-6 and 8-22, Hrusch teaches an aircraft shock strut, comprising a cylinder (302), a piston (308) telescopically movable within the cylinder and defining therein a sealed chamber partially filled with a liquid and partially filled with a gas. However, Hrusch does not teach at least one probe associated with the chamber for sensing the condition of a level of liquid in the chamber through interaction with the liquid in the chamber and a cable that passes through the wall of the strut for connecting to the probe. Labrecque teaches a strut with a probe (13) associated with a chamber for sensing the condition of a level of liquid in the chamber. Denis et al. teaches at least one probe (13) associated with the chamber for sensing the condition of a level of liquid in the chamber through interaction with the liquid in the chamber and a cable (57) that passes through a wall (4) for connecting to the probe. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the probe assembly of Denis et al. with the probe assembly of Hrusch to allow for remote viewing of the fluid level or for sensing with electronic sensors for their use in struts as is taught by Labrecque.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 10/671,425 Page 4

Art Unit: 3683

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hrusch as modified above and further in view of Li.

Re claim 7, Hrusch as modified does not teach wherein the plug has an annular groove for receiving an o-ring seal. Li teaches a plug (20, 50) with an annular groove for receiving an o-ring seal (24). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have provided an o-ring seal, since seals are well known in for their use at critical locations for adequate sealing thus preventing leakage of the working fluids.

Response to Arguments

6. Applicant's arguments with respect to claims 2-22 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie Torres whose telephone number is (571)272-7127. The examiner can normally be reached on Monday, 6:00 AM - 4:30 PM, Tuesday, 6:00 - 12:00PM.

Application/Control Number: 10/671,425

Art Unit: 3683

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Siconolfi can be reached on (571)272-7124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MT August 27, 2007

Meland Solls
Welanie Torres
Primary Examiner
8-27-07

Page 5